



Fig. 1








Figure- 4




Fig. 5

1542





Fig. 6

Enterprise Information Systems (FIDENIS) EFFR (Legacy Applications) **EIS Tier EUB Contellner** Middle Trer Web Container (Towns Twins) Client Client Client Tier Firewall Client Client


Figure 7- MindShare Architecture

# Figure 8-Architecture Overview

#### J2EE Web Container








# Figure 10- Application Flow


Collaboration Foundation Systems The controller invokes the appropriate In this case, the search action handler. action handler using information from the application map. MindShare Enterprise Services J2EF Web Container View Processing MindShare Data Actions Handlers Action View Rendering Application Controller\* Application Dispatcher Map Client

**Client Tier** 

# Figure 11- Application Flow



# Figure 12- Application Flow




In this case, the search results are

refirmed to the action handler

EIS Tier

## Figure 13- Application Flow



**Client Tier** 


# Figure 14- Application Flow

MindShare Enterprise Services JZEE Web Container View Processing MindShare Data Presentation Middle Tier Data Beans Preference Handlers Handlers Manager Actions Process Web Beans Action Page Application Application Dispatcher Controller presentation bean on preferences manager display information The controller then handler. The page Мар (usually from the then places it in a invokes the page handler retrieves the request: Client

WindShare Enterprise Infornation Systems Collaboration Foundation MindShare Logic In this case, the the columns to show for search results are retrieved from the preferences manager.


# Figure 15- Application Flow

Client



Client Ti r

# Figure 16- Application Flow






Fig. 19






Fig. 17




Fig. 18